

About Tenfly

A Leading Manufacturer of Smart Display & Computing Devices

Chongqing Tenfly Drawell Electronics Co., Ltd., is a nationally recognized high-tech enterprise specializing in the R&D, manufacturing, and sales of smart displays and computing solutions with over 30 years of industry experience.

Our core product lines include LCD monitors, all-in-one PCs, laptops, mini PCs, and smart interactive displays, widely applied in education, business, and government sectors.

With strong R&D capabilities, advanced manufacturing, and full-service OEM/ODM support, Tenfly helps partners worldwide build reliable, customized technology products that drive digital transformation.



30+Years

Industry Experience



3

Manufacturing Bases



40000+m²

Production Area



5 Million+

Units Annual Output



50+

R&D Engineers



300+

Employees



8

Product lines



100+

Authorized patents

Lenovo

AOC

ASUS®

ZTE

Great Wall 长城

ENVISION
易美芝显示器

IPASON 攀升®
高性能品牌电脑

六联智能
SIXUNITED

Sunniwell
朝歌科技

中国移动
China Mobile

中国联通
China unicom

Monitors

Stylish, reliable displays for work, gaming, and content creation



From business to entertainment, Tenfly monitors deliver sharp, color-accurate displays with modern design and versatile connectivity. Available in customization flexible configurations, our monitors are built for multitasking, immersive viewing, and ergonomic comfort in any environment.



Tenfly MNXL22F1 / Monitors

21.5" 16:9 IPS / VA FHD 100Hz



Specifications

Product Model	MNXL22F1
Screen Size	21.5" 16:9
Resolution	1920*1080 (Full HD)
Refresh Rate	100Hz
Panel Type	IPS / VA
Backlight Type	ELED
Response Time	14ms
Brightness	250cd/m ²
Color Gamut	99% sRGB
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+HDMI+HDMI
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS

Tenfly MNST24F1 / Monitors

23.8" 16:9 IPS / VA FHD 100Hz / 120Hz / 144Hz



Specifications

Product Model	MNST24F1
Screen Size	23.8" 16:9
Resolution	1920*1080 (Full HD)
Refresh Rate	100Hz / 120Hz / 144Hz
Panel Type	IPS / VA
Backlight Type	ELED
Response Time	14ms
Brightness	250cd/m ²
Color Gamut	99% sRGB
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+HDMI+HDMI
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°
Main Functions	Low Blue Light Control, 6 Contextual Models,DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS

Tenfly MNYR24F2 / Monitors

23.8" 16:9 IPS / VA FHD 180Hz / 240Hz
QHD 180Hz




Specifications

Product Model	MNYR24F2
Screen	23.8" 16:9 IPS / VA Panel
Resolution	1920*1080 (Full HD) / 2560*1440 (QHD/2K)
Refresh Rate	180Hz / 240Hz
Backlight Type	ELED
Response Time	1ms MPRT
HDR Support	Yes
Color Gamut	99% sRGB / 95% DCI-P3
Brightness	400cd/m ²
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	100×100mm
Adjustable Stand	Tilt: -5°~ +15°, Swivel: ±15°, Pivot: 0-90°, Height adjustment: 0-100 mm
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS

Tenfly MNYM24F1 / Monitors

23.8" 16:9 IPS / VA FHD 180Hz / QHD 180Hz



Specifications

Product Model	MNYM24F1
Screen Size	23.8" 16:9
Resolution	1980*1080(Full HD) / 2560*1440(QHD/2K)
Refresh Rate	180Hz
Panel Type	IPS / VA
Backlight Type	ELED
Response Time	14ms
Brightness	400cd/m ²
Color Gamut	99% sRGB / 95% DCI-P3
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch

Tenfly MNST25F2 / Monitors

24.1" 16:9 IPS / VA FHD 400Hz / 540Hz



Specifications

Product Model	MNST25F2
Screen	24.1" 16:9 IPS / VA Panel
Resolution	1920*1080 (Full HD)
Refresh Rate	400Hz / 540Hz
Backlight Type	ELED
Response Time	1ms MPRT
HDR Support	Yes
Color Gamut	95% DCI-P3
Brightness	400cd/m ²
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°, Swivel: ±30°, Pivot: 0-90°, Height adjustment: 0-100 mm
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS, FreeSync

Tenfly MNYR25F2 / Monitors

24.5" 16:9 IPS / VA FHD 200Hz / 240Hz / 300Hz
QHD 180Hz



Specifications

Product Model	MNYR25F2
Screen	24.5" 16:9 IPS / VA Panel
Resolution	1920*1080 (Full HD) / 2560*1440 (QHD/2K)
Refresh Rate	180Hz / 200Hz / 240Hz / 300Hz
Backlight Type	ELED
Response Time	1ms MPRT
HDR Support	Yes
Color Gamut	99% sRGB / 95% DCI-P3
Brightness	400cd/m ²
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°, Swivel: ±15°, Pivot: 0-90°, Height adjustment: 0-100 mm
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS, FreeSync

Tenfly MNYR27F2 / Monitors

27" 16:9 IPS / VA FHD 200Hz / 240Hz / 300Hz
QHD 180Hz



Specifications

Product Model	MNYR27F2
Screen	27" 16:9 IPS / VA Panel
Resolution	1920*1080 (Full HD) / 2560*1440 (QHD/2K)
Refresh Rate	180Hz / 200Hz / 240Hz / 300Hz
Backlight Type	ELED
Response Time	1ms MPRT
HDR Support	Yes
Color Gamut	99% sRGB / 95% DCI-P3
Brightness	400cd/m ²
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	100×100mm
Adjustable Stand	Tilt: -5°~ +15°, Swivel: ±15°, Pivot: 0-90°, Height adjustment: 0-100 mm
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS, FreeSync

Tenfly MNSW27F1 / Monitors

27" 16:9 IPS/VA FHD 100Hz / 120Hz / 144Hz



Specifications

Product Model	MNSW27F1
Screen Size	27" 16:9
Resolution	1920*1080 (Full HD)
Refresh Rate	100Hz / 120Hz / 140Hz
Panel Type	IPS / VA
Backlight Type	ELED
Response Time	14ms
Brightness	250cd/m ²
Color Gamut	99% sRGB
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+HDMI+HDMI
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS

Tenfly MNXL25F1 / Monitors

24.5" 16:9 IPS / VA FHD 100Hz




Specifications

Product Model	MNXL25F1
Screen Size	24.5" 16:9
Resolution	1920*1080 (Full HD)
Refresh Rate	100Hz
Panel Type	IPS / VA
Backlight Type	ELED
Response Time	14ms
Brightness	250cd/m ²
Color Gamut	99% sRGB
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+HDMI+HDMI
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS

Tenfly MNYM27F1 / Monitors

27" 16:9 IPS / VA QHD 100Hz / UHD 60Hz




Specifications

Product Model	MNYM27F1
Screen Size	27" 16:9
Resolution	2560*1440 (QHD/2K) / 3840 × 2160 (UHD/4K)
Refresh Rate	60Hz / 100Hz
Panel Type	IPS / VA
Backlight Type	ELED
Response Time	14ms
Brightness	250cd/m ² , 300cd/m ²
Color Gamut	99% sRGB / 95% DCI-P3
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch

Tenfly MNST27F2 / Monitors

27" 16:9 IPS / VA FHD 540Hz / QHD 320Hz



Specifications

Product Model	MNST27F2
Screen	27" 16:9 IPS / VA Panel
Resolution	1920*1080 (Full HD) / 2560*1440 (QHD/2K)
Refresh Rate	320Hz / 540Hz
Backlight Type	ELED
Response Time	1ms MPRT
HDR Support	Yes
Color Gamut	95% DCI-P3
Brightness	400cd/m ²
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°, Swivel: ±15°, Pivot: 0-90°, Height adjustment: 0-100 mm
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS, FreeSync

Tenfly MNYR32F1 / Monitors

32" 16:9 IPS / VA FHD 100Hz / 180Hz



Specifications

Product Model	MNYR32F1
Screen	32" 16:9 IPS / VA Panel
Resolution	1920*1080 (Full HD)
Refresh Rate	100Hz / 180Hz
Backlight Type	ELED
Response Time	1ms MPRT
HDR Support	Yes
Color Gamut	99% sRGB
Brightness	250cd/m ² , 300cd/m ²
Contrast Ratio	≥1000:1(IPS Model) ≥3000:1(VA Model)
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	75×75mm
Adjustable Stand	Adjustable Stand Tilt: -5°~ +15°
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS, FreeSync

Tenfly MNXL32C1 / Monitors

31.5" 16:9 VA QHD 180Hz / 240Hz




Specifications

Product Model	MNXL32C1
Screen	31.5" 16:9 VA Panel
Resolution	2560*1440 (QHD / 2K)
Refresh Rate	180Hz / 240Hz
Backlight Type	ELED
Response Time	1ms MPRT
HDR Support	Yes
Color Gamut	99% sRGB / 90% DCI-P3
Brightness	400cd/m ²
Contrast Ratio	≥3000:1
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	100×100mm
Adjustable Stand	Tilt: -5°~ +15°, Swivel: ±30°, Height adjustment: 0-100 mm
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS, FreeSync

Tenfly MNXL34C1 / Monitors

34" 21:9 VA WQHD 100Hz / 165Hz / 180Hz




Specifications

Product Model	MNXL34C1
Screen	34" 21:9 VA Panel
Resolution	3440*1440 (WQHD)
Refresh Rate	100Hz / 165Hz / 180Hz
Backlight Type	ELED
Response Time	1ms MPRT
HDR Support	Yes
Color Gamut	99% sRGB
Brightness	400cd/m ²
Contrast Ratio	≥3000:1
Viewing Angle	178°(H) / 178°(V) (CR≥10)
I/O Ports (Standard)	DC+2HDMI+2DP+Audio
VESA Wall Mount	75×75mm
Adjustable Stand	Tilt: -5°~ +15°, Swivel: ±30°, Height adjustment: 0-100 mm
Main Functions	Low Blue Light Control, 6 Contextual Models, DCR, Multiple-Language Menu, Backlight adjustment w/o flicker, FPS/RTS Game Mode with 1 key-switch, GAME PLUS, FreeSync

Tenfly PMN156LC / Portable Monitors

15.6" 16:9 FHD 45Hz



Specifications

Product Model	PMN156LC
Screen Size	15.6" Inch
Panel Type	IPS
Backlight Type	WLED
Resolution	FHD 1080p
Aspect Ratio	16:9
Display Viewing Area	344.16 × 193.59mm
Display Surface	Anti-Glare
Brightness Maximum	280cd/m ² (Typ.)
Refresh Rate	60Hz
Response Time	6ms(GTG)
Ten-Point Touch	Optional
Case Stand	Black Leather Case
Mini HDMI*2	2.0 Input/Audio and Video Transmission
USB Type C*2	External Power Supply / Audio and Video Transmission
Product Size	362*227*13mm



Tenfly PMN156DP / Portable Monitors

15.6"x2 16:9 WLED 60Hz



Specifications

Product Model	PMN156DP
Screen Size	Double 15.6" Inch
Panel Type	IPS
Backlight Type	WLED
Resolution	FHD 1080p
Aspect Ratio	16:9
Display Viewing Area	344.16 × 193.59mm*2
Display Surface	Anti-Glare
Brightness Maximum	280cd/m ² (Typ.)
Refresh Rate	60Hz
Response Time	6ms(GTG)
Ten-Point Touch	Optional
Case Stand	Black Kickstand
Mini HDMI*2	2.0 Input/Audio and Video Transmission
USB Type C*2	External Power Supply / Audio and Video Transmission
Product Size	362*217*24mm



+86-023-6326 8643

+86 133 2025 6290

sales01@drawell-tenfly.com

Drawell Tenfly: www.drawell-tenfly.com

Drawell Group: www.drawell.cn

Office: 22nd Floor, Building No.11, Shiyu Road No.1, Yuzhong District, Chongqing, China

Factory: No. 37 Xinggu Road, Hangu Town, Chongqing Hi-tech Zone, Chongqing, China

